


Technical Details

NTRF cleverly uses multiple layers of different materials to create a flooring that not only provides beauty and comfort, but also durable enough to withstand the rigours of our daily activities.


Available in 5mm / 0.5 (with unilin)



UNICLIC Locking Technology



NTRF's patented German locking technology allows stronger locking strength, ease of installation and seamless joints.



How to Maintain

- Do NOT place hot objects or appliance directly on the flooring.
- Do regular cleaning by vacuuming, sweeping or mopping to remove dirt and grit.
- Do wipe up spills and use soft damp cloth to remove stains.
- Do add protective feet on your heavy furniture or appliances to minimize unsightly indentations or damage to the flooring.
- Do NOT use strong cleaning chemicals or bleach when you are cleaning the floor.

Technical Specifications

Characteristics	Standards			
	EN	Result	ASTM	Result
Chemical Resistance	EN423	Pass	F925, F1344	Pass
Colour Fastness to Artificial Light	EN20105:B02 Method A	Pass. >Grade 6	F1515	Pass
Castor Chair Suitability	EN425	Pass	-	-
Abrasion Group	EN660- 1/2	Group T	F510, D3384	Pass
Impact Resistance	-	-	F1265, D2632	Pass
Dimensional Stability	EN434	Pass	F2199	Pass, 0.1%
Sound Reduction	EN ISO717-2 (Δw)	2dB	-	-
Slip Resistance	EN 13893	Class DS	D2047-93	Pass
Electrical Resistance	EN 1081 Method C	Pass	-	-
Thermal Resistance	EN 12664	Pass	E648-06	Pass
Toxic Element Test	EN 71-3	Pass	-	-
Behaviour to Fire	EN ISO11925-2, EN 13501-1, EN ISO9239-1	Bf1-S1	E648-06	Pass, Class 1
Flexibility	EN435 Method A	Pass	F137	Pass
VOC Emissions	Floor Score	Certified	DIBt	Certified

DURAFLOOR NanoSilver Anti Bacterial LVPF

NANO-TECH RESILIENT FLOORING



DURAFLOOR

Nano-Tech
Anti Bacterial NTRF



NANO-TECH RESILIENT FLOORING





GVT-105 MYAN TEAK



GVT-104 ARDMORE OAK



GVT-103 SCANDI OAK



GVT-102 RUSTIC ASH



GVT-101 CALGARY OAK

WOOD HUES COLLECTION



DURAFLOOR
NanoSilver Anti Bacterial Nitr


GVT-110 PECAN WALNUT




GVT-109 CANADIAN MAPLE



GVT-108 COCOA WALNUT



GVT-107 CIDER OAK



GVT-106 SPANISH CHESTNUT





GVT-201 WHITE WASHED



GVT-202 IVORY OAK



GVT-203 OXFORD ASH



GVT-204 DUNCAN GREY



GVT-205 CAMDEN OAK

GREY HUES COLLECTION




DURAFLOOR
NanoSilver Anti Bacterial Nitro

GVT-206 SIBERIAN OAK



GVT-207 NORTHERN ELM



GVT-208 DUSKY WENGE



GVT-209 RAVEN EBONY



ACCESSORIES & TRIMS



Skirting



End Moulding




Reducer



Angle Trim



Herringbone Collection (5mm / 0.5mm x 110mm x 615mm)




GVT-501 WINTER OAK (H)



GVT-502 BUTTER OAK (H)



GVT-503 MISTY GREY (H)



GVT-504 CARBON OAK (H)



WATER-PROOF



ANTI-SCRATCH



**IMPACT
RESISTANCE**



**FIRE
RESISTANCE**



**FAST
INSTALLATION**



**WEAR
RESISTANCE**



**EASY-
CLEANING**



**HYGIENIC &
ANTI-ALLERGIC**



ANTI-STATIC



LONG LIFE


DURAFLOOR
NanoSilver Anti Bacterial LVT

NANO-TECH RESILIENT FLOORING



Stone Collection (5mm / 0.5mm x 300mm x 600mm)

GVT-301 PLAIN CRETE (S)




GVT-302 BASALT CRETE (S)



GVT-303 PEARL MARBLE (S)




GVT-304 BLACK SLATE (S)



Functional

Perfect Flooring Solution

Every NTRF Vinyl is precision-made using quality materials that allows it to withstand the true test of time. It also features a special coating that uses nano-sized Silver ions to inhibit bacteria cell reproduction, creating a healthier living environment.



**NANO
SILVER**
ANTIBACTERIAL
TECHNOLOGY